Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S8	3361	(southbridge south-bridge (south adj bridge))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:38
S10	106	S8 with internal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 09:36
S11	88	S8 same (configuration$1 near2 register$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 10:42
S12	28	(bridge southbridge) with (internal own) with configuration$1 with (command$1 transaction$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 10:43
S13	28	(bridge southbridge ich) with (internal own) with configuration$1 with (command$1 transaction$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 10:51
S14	33	(bridge southbridge ich) with (forward$1) with configuration$1 with (command$1 transaction$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 11:20
S15	196	bridge with "configuration space"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 12:55
S16	146	(configuration near2 (transaction$1 command$1)) near5 decod$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 12:56
S17	2	S16 with bridge$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 12:58
S18	25	S16 same bridge$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 13:04

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	49	("5477503" "5572481" "5191657" "5555381" "6189082" "4367524" "5195089" "5212777" "5371896" "5414866" "5687131" "5751999" "5758195" "5809288" "5822779" "5881272" "5926839" "5933624" "6038584" "4339793" "4378589" "4472788" "4912636" "5386519" "5426769" "5426771" "5448744" "5553252" "5699542" "5717851" "5907860" "5933613" "6032225" "6038630" "6141713" "6178481" "6199153" "6205537" "6215497" "6219746" "6215497" "6219746" "4315308" "4334268" "4339819" "4458313" "4527148" "4799147" "5179716" "5185719").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/05 07:05
S2	182	(bridge) with (configur$3) with (cycle command)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/01 10:07
S3	559	(710/306).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 10:08
S4	7986	(bridge near3 configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 10:08
S5	559	(710/306).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 08:39
S6	199	(710/311).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 08:39
S7	88	"type 0 configuration"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 08:39

EAST

S28	24	S27 same (internal configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:13
S29	9	("5935226").URPN.	USPAT	OR	OFF	2005/12/05 09:25
S30	4	("6035354").URPN.	USPAT	OR	OFF	2005/12/05 09:26
S31	717	internal with (bus adj cycle$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 09:33
S32	233	internal adj3 (bus adj cycle$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 09:33
S33	0	("2004/0215867").URPN.	USPAT	OR	OFF	2005/12/05 09:44
S34	57	bridge same (internal with (i/o IO (input adj output)) adj2 (command$1 transaction$1 cycle$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 09:48
S35	5	(southbridge south-bridge (south adj bridge)) near3 "configuration space"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:34
S36	98	southbridge.bsum.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:32
S37	24	south-bridge.bsum.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:32
S38	598	(southbridge south-bridge (south adj bridge)) near5 PCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:34

S19	2	("5838935").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 13:16
S20	2	("6883057").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 13:16
S21	96	bridge with (configuration adj (command$1 transaction$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:03
S22	5	("6275888").URPN.	USPAT	OR	OFF	2005/12/05 07:47
S23	26	("4589063" | "5379431" | "5568619" | "5640570" | "5734847" | "5734850" | "5751975" | "5754436" | "5761458" | "5790831" | "5819112" | "5832245" | "5838899" | "5838935" | "5848249" | "5854910" | "5867730" | "5878237" | "5960213" | "5978865" | "5983303" | "6052513" | "6092141" | "6119192" | "6317803" | "RE36191").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 07:49
S24	127	bridge with (configuration adj (cycle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:04
S25	87	S24 not S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:12
S26	46690	inhibit$3 near5 signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:12
S27	299	S26 same bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 08:13

google (www.google.com)

- "internal bus cycle" inhibit - Google Search
- "south bridge" architecture - Google Search
- "type 0" configuration decode bridge - Google Search
- "type 0 configuration" "configure bridge" - Google Search
- "type zero" configuration command bridge - Google Search
- "type zero" configuration command bridge inhibiting - Google Search
- bridge claims "configuration command" - Google Search
- pci bridge architecture - Google Search
- "type 0" "configuration space" command bridge inhibit - Google Search
- "type 0" "configuration space" command bridge inhibit - Google Search
- "type 0" "configuration space" command bridge inhibit - Google Search
- "type 0" configuration command bridge inhibit - Google Search
- "type 0" configuration decode - Google Search
- "type 0" configuration decode - Google Search
- "type 0" configuration decode bridge - Google Search
- "type 0 configuration" internal - Google Search
- "type 0 configuration" internal - Google Search
- "type 0 configuration" internal - Google Search
- "type zero" configuration command bridge inhibit - Google Search
- bridge claims "configuration command" - Google Search
- bridge claims "configuration command" - Google Search
- bridge configuration cycle - Google Search
- bridge configuration cycle - Google Search
- bridge consumes "configuration command" - Google Search
- pci bridge architecture - Google Search
- pci bridge architecture - Google Search
- "internal bus cycle" - Google Search
- "type 0" configuration decode - Google Search
- "type 0 configuration" - Google Search
- "type zero" configuration command - Google Search